



ELSEVIER

Discrete Applied Mathematics 96–97 (1999) 481–482

**DISCRETE
APPLIED
MATHEMATICS**

Author Index

Double Volume 96–97 (1999)

Anthony, M., Accuracy of techniques for the logical analysis of data	247–257
Battiti, R. and M. Protasi, Reactive local search techniques for the maximum k -conjunctive constraint satisfaction problem (<i>MAX-k-CCSP</i>)	3– 27
Benzaken, C., From logical gates synthesis to chromatic bicritical clutters	259–305
Bioch, J.C., T. Ibaraki and K. Makino, Minimum self-dual decompositions of positive dual-minor Boolean functions	307–326
Büning, H.K. and T. Lettmann, Resolution remains hard under equivalence	139–148
Boros, E., Maximum renamable Horn sub-CNFs	29– 40
Chiu, S.Y., L.A. Cox Jr. and X. Sun, Optimal sequential inspections of reliability systems subject to parallel-chain precedence constraints	327–336
Cox, L.A. Jr., see S.Y. Chiu	327–336
Creignou, N. and H. Daude, Satisfiability threshold for random XOR-CNF formulas	41– 53
Daude, H., see N. Creignou	41– 53
Eiter, T., T. Ibaraki and K. Makino, Bidual Horn functions and extensions	55– 88
Ekin, O., P.L. Hammer and A. Kogan, On connected Boolean functions	337–362
Franco, J., J. Goldsmith, J. Schlipf, E. Speckenmeyer and R.P. Swaminathan, An algorithm for the class of pure implicational formulas	89–106
Goerdt, A., A remark on random 2-SAT	107–110
Goldsmith, J., see J. Franco	89–106
Gu, J., The <i>Multi-SAT</i> algorithm	111–126
Gurvich, V. and L. Khachiyan, On generating the irredundant conjunctive and disjunctive normal forms of monotone Boolean functions	363–373
Hammer, P.L., see O. Ekin	337–362
Hansen, P., B. Jaumard and G.-B.D. Nguetse, Best second order bounds for two-terminal network reliability with dependent edge failures	375–393
Heusch, P., The complexity of the falsifiability problem for pure implicational formulas	127–138
Hooker, J.N. and M.A. Osorio, Mixed logical linear programming	395–442
Ibaraki, T., see T. Eiter	55– 88
Ibaraki, T., see J.C. Bioch	307–326
Ibaraki, T., see K. Makino	443–460
Jaumard, B., see P. Hansen	375–393
Khachiyan, L., see V. Gurvich	363–373
Kogan, A., see O. Ekin	337–362
Kullmann, O., On a generalization of extended resolution	149–176
Lettmann, T., see H.K. Büning	139–148
Makino, K. and T. Ibaraki, Inner-core and outer-core functions of partially defined Boolean functions	443–460
Makino, K., see T. Eiter	55– 88
Makino, K., see J.C. Bioch	307–326
Nguetse, G.-B.D., see P. Hansen	375–393
Osorio, M.A., see J.N. Hooker	395–442
Protasi, M., see R. Battiti	3– 27
Schlipf, J., see J. Franco	89–106
Speckenmeyer, E., see J. Franco	89–106

Sun, X., see S.Y. Chiu	327-336
Swaminathan, R.P., see J. Franco	89-106
Urquhart, A., The symmetry rule in propositional logic	177-193
Van Gelder, A., Complexity analysis of propositional resolution with autarky pruning	195-221
van Maaren, H., Elliptic approximations of propositional formulae	223-244
Wolkowicz, H. and Q. Zhao, Semidefinite programming relaxations for the graph partitioning problem	461-479
Zhao, Q., see H. Wolkowicz	461-479

